


Part code	Description	d	L	Angle (α)	Connection	Balancing (RPM)
N016	shrink fit tool holder - dimension 1"	25.4	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	SK 40 DIN 69871 A/B	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	SK 40 DIN 69871 BP	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	BT 40 A/B- BT 40 BP- CAT 40	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	SK 50 DIN 69871 A/B	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	SK 50 DIN 69871 BP	24,000
N017	shrink fit tool holder - dimension 4"	101.6	120	3°	BT 50 A/B- BT 50 BP- CAT 50	24,000
N018	shrink fit tool holder - dimension 6"	152.4	120	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N018	shrink fit tool holder - dimension 6"	152.4	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N018	shrink fit tool holder - dimension 6"	152.4	120	3°	SK 40 DIN 69871 A/B	24,000
N018	shrink fit tool holder - dimension 6"	152.4	120	3°	SK 40 DIN 69871 BP	24,000
N018	shrink fit tool holder - dimension 6"	152.4	120	3°	BT 40 A/B- BT 40 BP- CAT 40	24,000
N018	shrink fit tool holder - dimension 6"	152.4	120	3°	SK 50 DIN 69871 A/B	24,000
N018	shrink fit tool holder - dimension 6"	152.4	120	3°	SK 50 DIN 69871 BP	24,000
N018	shrink fit tool holder - dimension 6"	152.4	120	3°	BT 50 A/B- BT 50 BP- CAT 50	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	SK 40 DIN 69871 A/B	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	SK 40 DIN 69871 BP	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	BT 40 A/B- BT 40 BP- CAT 40	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	SK 50 DIN 69871 A/B	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	SK 50 DIN 69871 BP	24,000
N019	shrink fit tool holder - dimension 8"	203.2	120	3°	BT 50 A/B- BT 50 BP- CAT 50	24,000

MANUFACTURING MATERIAL



Shrink Fit Tool Holders - Slim version



The narrow body of the shrink fit tool holder "Slim" are ideal for deep precision milling operations.




Part code	Description	d	L	Angle (α)	Connection	Balancing (RPM)
N000	shrink fit tool holder - dimension 3"	76.2	75	3°	SK 20 "CGC" - SK 20 "ELITE"	50,000
N000	shrink fit tool holder - dimension 3"	76.2	75	3°	SK 25 "CGC"	50,000
N001	shrink fit tool holder - dimension 4"	101.6	75	3°	SK 20 "CGC" - SK 20 "ELITE"	50,000
N001	shrink fit tool holder - dimension 4"	101.6	75	3°	SK 25 "CGC"	50,000
N002	shrink fit tool holder - dimension 4"	101.6	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N002	shrink fit tool holder - dimension 4"	101.6	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N003	shrink fit tool holder - dimension 6"	152.4	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N003	shrink fit tool holder - dimension 6"	152.4	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N004	shrink fit tool holder - dimension 8"	203.2	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N004	shrink fit tool holder - dimension 8"	203.2	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N005	shrink fit tool holder - dimension 10"	254.0	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N005	shrink fit tool holder - dimension 10"	254.0	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N006	shrink fit tool holder - dimension 12"	304.8	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N006	shrink fit tool holder - dimension 12"	304.8	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N007	shrink fit tool holder - dimension 14"	355.4	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N007	shrink fit tool holder - dimension 14"	355.4	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N008	shrink fit tool holder - dimension 16"	406.4	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N008	shrink fit tool holder - dimension 16"	406.4	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N009	shrink fit tool holder - dimension 18"	457.0	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N009	shrink fit tool holder - dimension 18"	457.0	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N010	shrink fit tool holder - dimension 20"	508.0	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N010	shrink fit tool holder - dimension 20"	508.0	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N011	shrink fit tool holder - dimension 1/4"	25.4	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N011	shrink fit tool holder - dimension 1/4"	25.4	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N012	shrink fit tool holder - dimension 3/8"	31.8	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N012	shrink fit tool holder - dimension 3/8"	31.8	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N013	shrink fit tool holder - dimension 1/2"	38.1	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N013	shrink fit tool holder - dimension 1/2"	38.1	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N014	shrink fit tool holder - dimension 5/8"	47.6	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N014	shrink fit tool holder - dimension 5/8"	47.6	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N015	shrink fit tool holder - dimension 3/4"	57.1	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N015	shrink fit tool holder - dimension 3/4"	57.1	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000
N016	shrink fit tool holder - dimension 1"	76.2	90	3°	SK 30 DIN 69871 A/B- BT 30	24,000
N016	shrink fit tool holder - dimension 1"	76.2	90	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24,000


Part codes for available SK/BT/CAT CONNECTIONS*

To configure your tool holder you need to choose one of the following connections list.

*See page 69 for the complete list of DIN manufacturing codes.



Shrink Fit Tool Holders - Slim version



Part code	Description	d	L	Angle (α)	Connection	Balancing (RPM)
N027	shrink fit tool holder - dimension 32	32	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000
N027	shrink fit tool holder - dimension 32	32	120	3°	BT 400-B-RT 40/BP-CAT 40	24.000
N027	shrink fit tool holder - dimension 32	32	120	3°	SK 50 DIN 69871 A/B	24.000
N027	shrink fit tool holder - dimension 32	32	120	3°	SK 50 DIN 69871 B/P	24.000
N027	shrink fit tool holder - dimension 32	32	120	3°	BT 500-B-RT 50/BP-CAT 50	24.000
N028	shrink fit tool holder - dimension 1/4"	1/4"	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24.000
N028	shrink fit tool holder - dimension 1/4"	1/4"	120	3°	SK 40 DIN 69871 A/B	24.000
N028	shrink fit tool holder - dimension 1/4"	1/4"	120	3°	SK 40 DIN 69871 B/P	24.000
N028	shrink fit tool holder - dimension 1/4"	1/4"	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000
N028	shrink fit tool holder - dimension 1/4"	1/4"	120	3°	BT 400-B-RT 40/BP-CAT 40	24.000
N028	shrink fit tool holder - dimension 1/4"	1/4"	120	3°	SK 50 DIN 69871 A/B	24.000
N028	shrink fit tool holder - dimension 1/4"	1/4"	120	3°	SK 50 DIN 69871 B/P	24.000
N028	shrink fit tool holder - dimension 1/4"	1/4"	120	3°	BT 500-B-RT 50/BP-CAT 50	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	CAT 50	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	SK 40 DIN 69871 A/B	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	SK 40 DIN 69871 B/P	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	BT 400-B-RT 40/BP-CAT 40	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	SK 50 DIN 69871 A/B	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	SK 50 DIN 69871 B/P	24.000
N029	shrink fit tool holder - dimension 3/8"	3/8"	120	3°	BT 500-B-RT 50/BP-CAT 50	24.000
N030	shrink fit tool holder - dimension 1/2"	1/2"	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24.000
N030	shrink fit tool holder - dimension 1/2"	1/2"	120	3°	SK 40 DIN 69871 A/B	24.000
N030	shrink fit tool holder - dimension 1/2"	1/2"	120	3°	SK 40 DIN 69871 B/P	24.000
N030	shrink fit tool holder - dimension 1/2"	1/2"	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000
N030	shrink fit tool holder - dimension 1/2"	1/2"	120	3°	BT 400-B-RT 40/BP-CAT 40	24.000
N030	shrink fit tool holder - dimension 1/2"	1/2"	120	3°	SK 50 DIN 69871 A/B	24.000
N030	shrink fit tool holder - dimension 1/2"	1/2"	120	3°	SK 50 DIN 69871 B/P	24.000
N030	shrink fit tool holder - dimension 1/2"	1/2"	120	3°	BT 500-B-RT 50/BP-CAT 50	24.000


Part codes for available SK/BT/CAT CONNECTIONS*



To configure your tool holder you need to choose one of the following connections first.

*See page 69 for the complete list of DIN manufacturing codes.

Part code	Description	d	L	Angle (α)	Connection	Balancing (RPM)
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	SK 30 DIN 69871 A/B-RT 30	24.000
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24.000
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	SK 40 DIN 69871 A/B	24.000
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	SK 40 DIN 69871 B/P	24.000
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	BT 400-B-RT 40/BP-CAT 40	24.000
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	SK 50 DIN 69871 A/B	24.000
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	SK 50 DIN 69871 B/P	24.000
N031	shrink fit tool holder - dimension 5/8"	5/8"	120	3°	BT 500-B-RT 50/BP-CAT 50	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	SK 30 DIN 69871 A/B-RT 30	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	SK 40 DIN 69871 A/B	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	SK 40 DIN 69871 B/P	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	BT 400-B-RT 40/BP-CAT 40	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	SK 50 DIN 69871 A/B	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	SK 50 DIN 69871 B/P	24.000
N032	shrink fit tool holder - dimension 3/4"	3/4"	120	3°	BT 500-B-RT 50/BP-CAT 50	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	SK 30 DIN 69871 A/B-RT 30	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	SK 40 DIN 69871 A/B	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	SK 40 DIN 69871 B/P	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	BT 400-B-RT 40/BP-CAT 40	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	SK 50 DIN 69871 A/B	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	SK 50 DIN 69871 B/P	24.000
N033	shrink fit tool holder - dimension 1"	1"	120	3°	BT 500-B-RT 50/BP-CAT 50	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	SK 30 DIN 69871 A/B-RT 30	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	SK 30 DIN 69871 A/W/O FLANGE CUTS	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	SK 40 DIN 69871 A/B	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	SK 40 DIN 69871 B/P	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	BT 400-B-RT 40/BP-CAT 40	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	SK 50 DIN 69871 A/B	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	SK 50 DIN 69871 B/P	24.000
N034	shrink fit tool holder - dimension 1-1/2"	1-1/2"	120	3°	BT 500-B-RT 50/BP-CAT 50	24.000
N035	shrink fit tool holder - dimension 4	4	160	3°	SK 40 DIN 69871 A/B	24.000
N035	shrink fit tool holder - dimension 4	4	160	3°	SK 40 DIN 69871 B/P	24.000
N035	shrink fit tool holder - dimension 4	4	160	3°	SK 40 DIN 69871 A/W/O FLANGE CUTS	24.000



Part code	Description	d	L	Angle (α)	Connection	Balancing (RPM)
N049	shrink fit tool holder - dimension 5/8"	160	3"	3°	SK 50 DIN 69871A/B	24.000
N049	shrink fit tool holder - dimension 5/8"	160	3"	3°	SK 50 DIN 69871B/P	24.000
N049	shrink fit tool holder - dimension 5/8"	160	3"	3°	BT 50A/B - BT 50B/P - CAT 50	24.000
N050	shrink fit tool holder - dimension 3/4"	160	3"	3°	SK 40 DIN 69871A/B	24.000
N050	shrink fit tool holder - dimension 3/4"	160	3"	3°	SK 40 DIN 69871B/P	24.000
N050	shrink fit tool holder - dimension 3/4"	160	3"	3°	SK 40 DIN 69871A/W/O FLANGE CUTS	24.000
N050	shrink fit tool holder - dimension 3/4"	160	3"	3°	BT 40A/B - BT 40B/P - CAT 40	24.000
N050	shrink fit tool holder - dimension 3/4"	160	3"	3°	SK 50 DIN 69871B/P	24.000
N050	shrink fit tool holder - dimension 3/4"	160	3"	3°	BT 50A/B - BT 50B/P - CAT 50	24.000
N051	shrink fit tool holder - dimension 1"	160	3"	3°	SK 40 DIN 69871A/B	24.000
N051	shrink fit tool holder - dimension 1"	160	3"	3°	SK 40 DIN 69871B/P	24.000
N051	shrink fit tool holder - dimension 1"	160	3"	3°	SK 40 DIN 69871A/W/O FLANGE CUTS	24.000
N051	shrink fit tool holder - dimension 1"	160	3"	3°	BT 40A/B - BT 40B/P - CAT 40	24.000
N051	shrink fit tool holder - dimension 1"	160	3"	3°	SK 50 DIN 69871B/P	24.000
N051	shrink fit tool holder - dimension 1"	160	3"	3°	BT 50A/B - BT 50B/P - CAT 50	24.000
N052	shrink fit tool holder - dimension 1-1/2"	160	3"	3°	SK 50 DIN 69871A/B	24.000
N052	shrink fit tool holder - dimension 1-1/2"	160	3"	3°	SK 50 DIN 69871B/P	24.000
N052	shrink fit tool holder - dimension 1-1/2"	160	3"	3°	BT 50A/B - BT 50B/P - CAT 50	24.000

Shrink Fit Tool Holders - Slim version



Part code	Description	d	L	Angle (α)	Connection	Balancing (RPM)
N044	shrink fit tool holder - dimension 25	160	3"	3°	BT 50A/B - BT 50B/P - CAT 50	24.000
N045	shrink fit tool holder - dimension 32	160	3"	3°	SK 40 DIN 69871A/B	24.000
N045	shrink fit tool holder - dimension 32	160	3"	3°	SK 40 DIN 69871B/P	24.000
N045	shrink fit tool holder - dimension 32	160	3"	3°	SK 40 DIN 69871A/W/O FLANGE CUTS	24.000
N045	shrink fit tool holder - dimension 32	160	3"	3°	BT 40A/B - BT 40B/P - CAT 40	24.000
N045	shrink fit tool holder - dimension 32	160	3"	3°	SK 50 DIN 69871A/B	24.000
N045	shrink fit tool holder - dimension 32	160	3"	3°	SK 50 DIN 69871B/P	24.000
N045	shrink fit tool holder - dimension 32	160	3"	3°	SK 50 DIN 69871A/W/O FLANGE CUTS	24.000
N046	shrink fit tool holder - dimension 1/4"	160	3"	3°	SK 40 DIN 69871A/B	24.000
N046	shrink fit tool holder - dimension 1/4"	160	3"	3°	SK 40 DIN 69871B/P	24.000
N046	shrink fit tool holder - dimension 1/4"	160	3"	3°	SK 40 DIN 69871A/W/O FLANGE CUTS	24.000
N046	shrink fit tool holder - dimension 1/4"	160	3"	3°	BT 40A/B - BT 40B/P - CAT 40	24.000
N046	shrink fit tool holder - dimension 1/4"	160	3"	3°	SK 50 DIN 69871A/B	24.000
N046	shrink fit tool holder - dimension 1/4"	160	3"	3°	SK 50 DIN 69871B/P	24.000
N046	shrink fit tool holder - dimension 1/4"	160	3"	3°	SK 50 DIN 69871A/W/O FLANGE CUTS	24.000
N047	shrink fit tool holder - dimension 3/8"	160	3"	3°	SK 40 DIN 69871A/B	24.000
N047	shrink fit tool holder - dimension 3/8"	160	3"	3°	SK 40 DIN 69871B/P	24.000
N047	shrink fit tool holder - dimension 3/8"	160	3"	3°	SK 40 DIN 69871A/W/O FLANGE CUTS	24.000
N047	shrink fit tool holder - dimension 3/8"	160	3"	3°	BT 40A/B - BT 40B/P - CAT 40	24.000
N047	shrink fit tool holder - dimension 3/8"	160	3"	3°	SK 50 DIN 69871A/B	24.000
N047	shrink fit tool holder - dimension 3/8"	160	3"	3°	SK 50 DIN 69871B/P	24.000
N047	shrink fit tool holder - dimension 3/8"	160	3"	3°	SK 50 DIN 69871A/W/O FLANGE CUTS	24.000
N048	shrink fit tool holder - dimension 1/2"	160	3"	3°	SK 40 DIN 69871A/B	24.000
N048	shrink fit tool holder - dimension 1/2"	160	3"	3°	SK 40 DIN 69871B/P	24.000
N048	shrink fit tool holder - dimension 1/2"	160	3"	3°	SK 40 DIN 69871A/W/O FLANGE CUTS	24.000
N048	shrink fit tool holder - dimension 1/2"	160	3"	3°	BT 40A/B - BT 40B/P - CAT 40	24.000
N048	shrink fit tool holder - dimension 1/2"	160	3"	3°	SK 50 DIN 69871A/B	24.000
N048	shrink fit tool holder - dimension 1/2"	160	3"	3°	SK 50 DIN 69871B/P	24.000
N048	shrink fit tool holder - dimension 1/2"	160	3"	3°	SK 50 DIN 69871A/W/O FLANGE CUTS	24.000
N049	shrink fit tool holder - dimension 5/8"	160	3"	3°	SK 40 DIN 69871A/B	24.000
N049	shrink fit tool holder - dimension 5/8"	160	3"	3°	SK 40 DIN 69871B/P	24.000
N049	shrink fit tool holder - dimension 5/8"	160	3"	3°	SK 40 DIN 69871A/W/O FLANGE CUTS	24.000
N049	shrink fit tool holder - dimension 5/8"	160	3"	3°	BT 40A/B - BT 40B/P - CAT 40	24.000

Part codes for available SK/BT/CAT CONNECTIONS*

To configure your tool holder you need to choose one of the following connections first.

*See page 69 for the complete list of IRI manufacturing codes.

